

SIDE BY SIDE



SIDE BY SIDE _
Water Dispenser




SIDE BY SIDE _
Automatic ice maker



French door



T-door



Cross door



Cross door_
Water dispenser









Side by Side BCD-456W

Key Features

- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor (optional)
- Grip handles (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:445L(R:272L/ F:173L)
Dimension(WxDxH)(mm):836x636x1780
Load Capacity(40HQ): 56units
Product Standard:CE/CB



Side by Side BCD-501WD

Key Features

- Water dispenser
- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Grip handles (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F

Net Volume:484L(R:289L/ F:195L)
Dimension(WxDxH)(mm):836x666x1780
Load Capacity(40HQ): 53units
Product Standard:CE/CB



Side by Side BCD-456WD

Key Features

- Water dispenser
- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor (optional)
- Grip handles (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:440L(R:267L/ F:173L)
Dimension(WxDxH)(mm):836x636x1780
Load Capacity(40HQ): 56units
Product Standard:CE/CB



Side by Side BCD-518W

Key Features

- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Grip handles (optional)
- Mini bar (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:505L(R:267L/ F:173L)
Dimension(WxDxH)(mm):911x636x1780
Load Capacity(40HQ): 53units
Product Standard:CE/CB



Side by Side BCD-501W

Key Features

- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Grip handles (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F

Net Volume:488L(R:293L/ F:195L)
Dimension(WxDxH)(mm):836x666x1780
Load Capacity(40HQ): 53units
Product Standard:CE/CB



Side by Side BCD-518WD

Key Features

- Water dispenser
- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Grip handles (optional)
- Mini bar (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:500L(R:326L/ F:174L)
Dimension(WxDxH)(mm):911x636x1780
Load Capacity(40HQ): 53units
Product Standard:CE/CB



Side by Side BCD-528W

Key Features

- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor (optional)
- Grip handles (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:512L(R:308L/ F:204L)
Dimension(WxDxH)(mm):836x706x1780
Load Capacity(40HQ): 52units
Product Standard:CE/CB



Side by Side BCD-563W

Key Features

- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Grip handles (optional)
- Mini bar (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:549L(R:354L/ F:195L)
Dimension(WxDxH)(mm):911x666x1780
Load Capacity(40HQ): 48units
Product Standard:CE/CB



Side by Side BCD-528WD

Key Features

- Water dispenser
- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor (optional)
- Grip handles (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:508L(R:304L/ F:204L)
Dimension(WxDxH)(mm):836x706x1780
Load Capacity(40HQ): 52units
Product Standard:CE/CB



Side by Side BCD-563WD

Key Features

- Water dispenser
- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Grip handles (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:545L(R:350L/ F:195L)
Dimension(WxDxH)(mm):911x666x1780
Load Capacity(40HQ): 48units
Product Standard:CE/CB



Side by Side BCD-528WHI

Key Features

- Automatic ice-maker
- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Grip handles (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F

Net Volume:488L(R:304L/ F:171L)
Dimension(WxDxH)(mm):836x706x1780
Load Capacity(40HQ): 52units
Product Standard:CE/CB



Side by Side BCD-606W

Key Features

- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Grip handles (optional)
- Mini bar (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:587L(R:377L/ F:210L)
Dimension(WxDxH)(mm):911x706x1780
Load Capacity(40HQ): 48units
Product Standard:CE/CB



Side by Side BCD-606WD

Key Features

- Water dispenser
- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Grip handles (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:582L(R:372L/ F:210L)
Dimension(WxDxH)(mm):911x706x1780
Load Capacity(40HQ): 48units
Product Standard:CE/CB



Side by Side BCD-646WD

Key Features

- Water dispenser
- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Grip handles (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: E/D

Net Volume:622L(R:402L/ F:220L)
Dimension(WxDxH)(mm):911x746x1780
Load Capacity(40HQ): 42units
Product Standard:CE/CB



Side by Side BCD-606WHI

Key Features

- Automatic ice-maker
- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Grip handles (optional) -Mini bar (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:556L(R:372L/ F:184L)
Dimension(WxDxH)(mm):911x706x1780
Load Capacity(40HQ): 48units
Product Standard:CE/CB



Side by Side BCD-646WHI

Key Features

- Automatic ice-maker
- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Grip handles (optional) - Mini bar (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:596L(R:401L/ F:195L)
Dimension(WxDxH)(mm):911x746x1780
Load Capacity(40HQ): 42units
Product Standard:CE/CB



Side by Side BCD-646W

Key Features

- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Grip handles (optional)
- Mini bar (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: E/D

Net Volume:627L(R:407L/ F:220L)
Dimension(WxDxH)(mm):911x746x1780
Load Capacity(40HQ): 42units
Product Standard:CE/CB





T Door BCD-443W

Key Features

- Super freezing and fast cooling functions
- Virable teperature zone
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Moisturizing module (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F

Net Volume:409L(R:155L/ F:168L/ V:86L)
Dimension(WxDxH)(mm):836x636x1830
Load Capacity(40HQ): 55units
Product Standard:CE/CB



T Door BCD-580W

Key Features

- Super freezing and fast cooling functions
- Virable teperature zone
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Moisturizing module (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: E

Net Volume:487L(R:188L/ F:179L/ V:120)
Dimension(WxDxH)(mm):911x706x1830
Load Capacity(40HQ): 48units
Product Standard:CE/CB



T Door BCD-515W

Key Features

- Super freezing and fast cooling functions
- Virable teperature zone
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Moisturizing module (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F

Net Volume:504L(R:177L/ F:211L/ V:86)
Dimension(WxDxH)(mm):836x706x1830
Load Capacity(40HQ): 52units
Product Standard:CE/CB



T Door BCD-562W

Key Features

- Multi-function zone
- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Moisturizing module (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: E

Net Volume:548L(R:207L/ F:214L/ W:127L)
Dimension(WxDxH)(mm):911x706x1780
Load Capacity(40HQ): 48units
Product Standard:CE/CB



T Door BCD-500W

Key Features

- Super freezing and fast cooling functions
- Virable teperature zone
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Moisturizing module (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:487L(R:188L/ F:179L/ V:120L)
Dimension(WxDxH)(mm):911x636x1830
Load Capacity(40HQ): 53units
Product Standard:CE/CB



T Door BCD-562WHI

Key Features

- Automatic ice-maker
- Multi-function zone
- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Moisturizing module (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: E

Net Volume:496L(R:207L/ F:162L/ W:127L)
Dimension(WxDxH)(mm):911x706x1830
Load Capacity(40HQ): 48units
Product Standard:CE/CB





Cross Door BCD-432W

Key Features

- Thin body design
- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Inverter compressor

General Specifications

Climate:SN/N/ST/T
Energy Class: F

Net Volume:419L(R:272L/ F:147L)
Dimension(WxDxH)(mm):759x666x1830
Load Capacity(40HQ): 62units
Product Standard:CE/CB



Cross Door BCD-450W

Key Features

- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Inverter compressor

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:436L(R:288L/ F:148L)
Dimension(WxDxH)(mm):836x636x1830
Load Capacity(40HQ): 56units
Product Standard:CE/CB



Cross Door BCD-446W

Key Features

- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Inverter compressor

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:436L(R:288L/ F:148L)
Dimension(WxDxH)(mm):836x636x1830
Load Capacity(40HQ): 56units
Product Standard:CE/CB



Cross Door BCD-450WD

Key Features

- Super freezing and fast cooling functions
- Water dispenser
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Inverter compressor

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:432L(R:284L/ F:148L)
Dimension(WxDxH)(mm):836x636x1830
Load Capacity(40HQ): 56units
Product Standard:CE/CB



Cross Door BCD-446WD

Key Features

- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Inverter compressor

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:432L(R:284L/ F:148L)
Dimension(WxDxH)(mm):836x636x1830
Load Capacity(40HQ): 56units
Product Standard:CE/CB



Cross Door BCD-505W

Key Features

- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Inverter compressor
- Moisturizing module (optional)
- Metal cooling panel (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:490L(R:321L/ F:169L)
Dimension(WxDxH)(mm):911x706x1830
Load Capacity(40HQ): 53units
Product Standard:CE/CB



Cross Door BCD-505WD

Key Features

- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Inverter compressor
- Moisturizing module (optional)
- Metal cooling panel (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:486L(R:317L/ F:169L)
Dimension(WxDxH)(mm):911x636x1830
Load Capacity(40HQ): 53units
Product Standard:CE/CB



Cross Door BCD-585WD

Key Features

- Super freezing and fast cooling functions
- Water dispenser
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Moisture module (optional)
- Flexible temp zone (optional)
- Metal cooling panel (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:560L(R:359L/ F:201L)
Dimension(WxDxH)(mm):911x706x1830
Load Capacity(40HQ): 48units
Product Standard:CE/CB



Cross Door BCD-532W

Key Features

- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Inverter compressor

General Specifications

Climate:SN/N/ST/T
Energy Class: F

Net Volume:496L(R:331L/ F:163L)
Dimension(WxDxH)(mm):836x706x1830
Load Capacity(40HQ): 53units
Product Standard:CE/CB



Cross Door BCD-631W

Key Features

- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Moisture module (optional)
- Flexible temp zone (optional)
- Metal cooling panel (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:617L(R:394L/ F:223L)
Dimension(WxDxH)(mm):911x746x1830
Load Capacity(40HQ): 30units
Product Standard:CE/CB



Cross Door BCD-585W

Key Features

- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Moisture module (optional)
- Flexible temp zone(optional)
- Metal cooling panel (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:564L(R:363L/ F:201L)
Dimension(WxDxH)(mm):911x706x1830
Load Capacity(40HQ): 48units
Product Standard:CE/CB





French Door BCD-486W

Key Features

- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:470L(R:332L/ F:138L)
Dimension(WxDxH)(mm):836x666x1780
Load Capacity(40HQ): 55units
Product Standard:CE/CB



French Door BCD-448W

Key Features

- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Moisture module (optional)
- Flexible temp zone (optional)
- Metal cooling panel (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:436L(R:288L/ F:148L)
Dimension(WxDxH)(mm):836x636x1830
Load Capacity(40HQ): 56units
Product Standard:CE/CB



French Door BCD-595W

Key Features

- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:577L(R:400L/ F:177L)
Dimension(WxDxH)(mm):911x706x1780
Load Capacity(40HQ): 48units
Product Standard:CE/CB



French Door BCD-448WD

Key Features

- Super freezing and fast cooling functions
- Water Dispenser
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Moisture module (optional)
- Flexible temp zone (optional)
- Metal cooling panel (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:432L(R:284L/ F:148L)
Dimension(WxDxH)(mm):836x636x1830
Load Capacity(40HQ): 56units
Product Standard:CE/CB



French Door BCD-513W

Key Features

- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Automatic ice-maker (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: E

Net Volume:499L(R:350L/ F:149L)
Dimension(WxDxH)(mm):759x792x1780
Load Capacity(40HQ): 56units
Product Standard:CE/CB



French Door BCD-523W

Key Features

- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Moisture module (optional)
- Flexible temp zone (optional)
- Metal cooling panel (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:510L(R:327L/ F:183L)
Dimension(WxDxH)(mm):836x706x1830
Load Capacity(40HQ): 52units
Product Standard:CE/CB



French Door BCD-523WD

Key Features

- Super freezing and fast cooling functions
- Water dispenser
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Moisture module (optional)
- Flexible temp zone (optional)
- Metal cooling panel (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:506L(R:323L/ F:183L)
Dimension(WxDxH)(mm):836x706x1830
Load Capacity(40HQ): 52units
Product Standard:CE/CB



French Door BCD-575W

Key Features

- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Moisture module (optional)
- Flexible temp zone (optional)
- Metal cooling panel (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:575L(R:368L/ F:207L)
Dimension(WxDxH)(mm):911x706x1830
Load Capacity(40HQ): 48units
Product Standard:CE/CB



French Door BCD-575WD

Key Features

- Super freezing and fast cooling functions
- Multi air flow
- Interior LED lights
- Door opening alarm function
- Electronic display
- Door open feasibility by 90°
- Inverter compressor
- Moisture module (optional)
- Flexible temp zone (optional)
- Metal cooling panel (optional)

General Specifications

Climate:SN/N/ST/T
Energy Class: F/E

Net Volume:571L(R:364L/ F:207L)
Dimension(WxDxH)(mm):911x706x1830
Load Capacity(40HQ): 48units
Product Standard:CE/CB





Side by Sider BCD-458W-BI

Key Features

- Built-in design,side space maximum 5mm for door opening
- 600mm standard depth with kitchen cabinet
- Bottom heating dissipation system
- Multi- storage space
- Full flat aesthetics air duct
- Multi air flow
- Multi drawer for fridge/freezer
- Glass shelf with elastic pin
- Metal air duct(optional)
- Glass door/ Steel door optional

General Specifications

Climate:SN/N/ST/T
Energy Class: E

Net Volume:458L(R:272L/ F:173L)
Dimension(WxDxH)(mm):836x600x1930
Load Capacity(40HQ): 57units
Product Standard:CE/CB



Cross Door BCD-485W-BI

Key Features

- Built-in design,side space maximum 5mm for door opening
- 600mm standard depth with kitchen cabinet
- Bottom heating dissipation system
- Multi- storage space
- Independent variable temperature drawer (optional)
- 90° open door, easy access of drawer
- Multi air flow
- Glass shelf with elastic pin
- Metal air duct (optional)
- Glass door/ Steel door optional

General Specifications

Climate:SN/N/ST/T
Energy Class: E

Net Volume:485L(R:318L/ F:167L)
Dimension(WxDxH)(mm):836x600x1930
Load Capacity(40HQ): 57units
Product Standard:CE/CB



French Door BCD-424W-BI

Key Features

- Built-in design,side space maximum 5mm for door opening
- 600mm standard depth with kitchen cabinet
- Bottom heating dissipation system
- Multi- storage space
- Independent variable temperature drawer (optional)
- 90° open door, easy access of drawer
- Multi air flow
- Glass shelf with elastic pin
- Metal air duct (optional)
- Glass door/ Steel door optional

General Specifications

Climate:SN/N/ST/T
Energy Class: E

Net Volume:436L(R:288L/ F:148L)
Dimension(WxDxH)(mm):769x600x1930
Load Capacity(40HQ): 64units
Product Standard:CE/CB